MINIMALLY INVASIVE SURGERY IN HYGEIA HOSPITAL TIRANA



CENTER OF EXCELLENCE

- We aim to promote and offer high standard laparoscopic and hysteroscopic facilities
- Long experience in minimally invasive surgery in gynecology



LAPAROSCOPIC OPERATIONS AND FACILITIES

- Diagnostic laparoscopy
- Laparoscopic ovarian cystectomy
- Laparoscopic salpingotomy or salpingectomy for ectopic pregnancy
- Laparoscopic salpingoophorectomy
- Laparoscopic hysterectomy (subtototal and total)
- Laparoscopic myomectomy
- Laparoscopic sacrocolpopexy and Burch procedures
- Laparoscopic endometriosis surgerv



LAPAROSCOPIC OPERATIONS AND FACILITIES

- State of the art equipment
- Bipolar and monopolar energy sources
- Girus PK, ligasure and harmonic scalpel
- Uterine manipulators
- Morcellators
- Mesh for prolapse repair and tacker for fixation



HYSTEROSCOPIC OPERATIONS AND FACILITIES

- Diagnostic hysteroscopy
- Operative hysteroscopy with scissors and graspers for endometrial polyps and biopsies
- Resectoscopes for TCRE and TCRF and septotomies



HYSTEROSCOPIC OPERATIONS AND FACILITIES

- State of the art equipment
- Bipolar resectoscopes using saline
- Monopolar resectoscopes using glycine
- Diagnostic and operative hysteroscopes



BENEFITS OF LAPAROSCOPIC SURGERY

- Less postoperative pain
- Less intraoperative bleeding
- Faster return to normal activities
- Day surgery procedures or One day maximum hospital stay
- Cosmetically superior outcome
- Fewer adhesions with possible better fertility



BENEFITS OF HYSTEROSCOPIC SURGERY

- TCRF and TCRE are gold standard approach for menorrhagia and fertility improvement
- Gold standard for postmenopausal bleeding and thick endometrium
- Septotomies for fertility improvement



LAPAROSCOPIC SURGERY - THE EVIDENCE

- Laparoscopic hysterectomy should be preferred to TAH (Cochrane review)
- Laparoscopic myomectomy has less bleeding and postoperative pain (RCTs)
- Sacrocolpopexy is the gold standard treatment for vault prolapse (NICE guidelines)
- Mesh fixation is the gold standard treatment for uterine prolapse (subtotal hysterectomy preferred) (NICE guidelines)
- Endometriosis surgery is better done laparoscopically and improves fertility and pain (Cochrane review)

Λαπαροσκοπικό Κέντρο Αθηνών